- 4

SEP 29 2005

ATION DISCLOSURE STATEMENT BY APPLICANT

Attorney Docket Number	7158-71253-10	
Application Number	10/648,631	_
Filing Date	August 25, 2003	
First Named Inventor	Hunter	
Art Unit	1642	
Examiner Name	Lei Yao, Ph.D.	

U.S. PATENT DOCUMENTS

Copies of U.S. Patent documents do not need to be provided, unless requested by the Patent and Trademark Office. For patents, provide the patent number and the issue date. For published U.S. applications, provide the publication number and the publication date. For unpublished pending patent applications, provide the application number and the filing date.

Examiner's Initials*	Cite No. (optional)	Number	Publication Date	Name of Applicant or Patentee
LY		5,443,962	08/22/1995	Draetta et al.
		6,596,848	07/22/2003	Hunter et al.
		2002/0025521	02/28/2002	Lu et al.
		2003/0225528	12/04/2003	Baker et al.
		2004/0101896	05/27/2004	Hunter et al.
		2004/0171019	09/02/2004	Matthews et al.
		2005/0027107	02/03/2005	Hunter et al.
\forall		2005/0049404	03/03/2005	Hunter et al.

FOREIGN PATENT DOCUMENTS

Examiner's Initials*	Cite No. (optional)	Country	Number	Publication Date	Name of Applicant or Patentee	
		WIPO	WO 99/12962	03/1999	Lu et al.	
Examiner's Initials*	Cite No. (optional)	OTHER DOCUMENTS				
LY		#1230, Random Primer, New England Biolabs, Catalog 1993/4).				
LY		Amon et al., "Regulation of p34 ^{CDC28} tyrosine phosphorylation is not required for entry into mitosis in S. cerevisiae." Nature, 355:368-371, 1992.				
LY		Burgess et al., "heparin-binding	Burgess et al., "Possible dissociation of the heparin-binding and mitogenic activities of heparin-binding (acidic fibroblast) growth factor-1 from its receptor-binding activities by site-directed mutagenesis of a single lysine residue." J. Cell Biol., 111:2129-2138, 1990.			

SIGNATURE: /Lei Yao/ CONSIDERED:	EXAMINER /Lei Yao/	DATE CONSIDERED:	07/13/2006
----------------------------------	--------------------	---------------------	------------

^{*} Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.

		Attorney Docket Number	7158-71253-10
		Application Number	10/648,631
INFORMATION DISCLOSURE STATEMENT		Filing Date	August 25, 2003
	BY APPLICANT	First Named Inventor	Hunter
		Art Unit	1642
		Examiner Name	Lei Yao, Ph.D.
LY	Cech, "Ribozymes and Their Medic 3034, 1988.	al Implications." J. Am. Med	d. Assn., 260(20):3030-
	Choi et al., "Activation of p34 ^{cdc2} prin mouse oocytes and embryos." D	evelopment, 113:789-795, 19	91.
	Chong et al., "A human telomeric p	rotein." Science, 270:1663-1	667, 1995.
	Durfee et al., "The retinoblastoma processed catalytic subunit." Genes Dev., 7:5:	•	otein phosphatase type 1
	Dyck et al., "A Novel Macromolecu Acid Receptor Oncoprotein." Cell,	•	ne Promyelocyte-Retinoic
	Eldredge et al., "Use of Tetracycline Operator System to Regulate Oncogene Expression in Mammalian Cells." Methods Enzymol., 254:481-491, 1995.		
	Engleman, Human Hydbridomas and Monoclonal Antibodies, New York:Plenum Press, 1985.		
	Fields and Song, "A novel genetic system to detect protein-protein interactions." <i>Nature</i> , 340:245-246, 1989.		
	Fraley and Papahadjopoulos, "New generation liposomes: the engineering of an efficient vehicle for intracellular delivery of nucleic acids." <i>Trends Biochem. Sci.</i> , 6:77-80, 1981.		
	Fruman <i>et al.</i> , "Immunophilins in p. 8:391-400, 1994.	rotein folding and immunosu	ppression." FASEB J.,
	Fu and Maniatis, "Factor required for mammalian spliceosome assembly is localized to discrete regions in the nucleus." <i>Nature</i> , 343:437-441, 1990.		
	Gavin et al., "Histone H1 kinase actin mouse oocytes." J. Cell Sci., 107		down and M phase entry
	Gossen and Bujard, "Tight control or responsive promoters." <i>Proc. Natl.</i>	of gene expression in mamma	•
	Gui et al., "A serine kinase regulates intracellular localization of splicing factors in the cell cycle." Nature, 369:678-682, 1994.		
	Hanes et al., "Sequence and Mutation Saccharomyces cerevisiae." Yeast,	•	e Essential for Growth in
	Hani et al., "PTF1 encodes an esser shows strong homology with a new 202, 1995.	-	-
V	Hannon et al., "Isolation of the Rb-cyclins." Genes Dev., 7:2378-2391		action with CDK2 and

EXAMINER SIGNATURE:	/Lei Yao/	DATE CONSIDERED:	07/13/2006

^{*} Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.

		Attorney Docket Number	7158-71253-10	
		Application Number	10/648,631	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT		Filing Date	August 25, 2003	
		First Named Inventor	Hunter	
		Art Unit	1642	
		Examiner Name	Lei Yao, Ph.D.	
LY		Harper et al., "The p21 Cdk-Interacting Protein Cip1 Is a Potent Inhibitor of G1 Cyclin-Dependent Kinases." Cell, 75:805-816, 1993.		
LY	Heitman et al., "Identification of Im Companion Methods Enzymol., 5:17		ets in Yeast." Methods	
LY	Helene, "The anti-gene strategy: cor oligonucleotides." Anticancer Drug	ntrol of gene expression by transfer Des., 6:569-584, 1991 (abstract)	iplex-forming- ract only).	
LY	Hillier et al., EST-STS Database, Ac	ccession No. H41102, 1991.		
	Hillier et al., EST-STS Database, Ac	ccession No. T82035, 1995.		
	Jaye et al., "Isolation of a human anti-haemophilic factor IX cDNA clone using a unique 52-base synthetic oligonucleotide probe deduced from the amino acid sequence of bovine factor IX." Nucl. Acid Res., 11(8):2325-2335, 1983.			
	Jung et al., "Kinetics of MPF and histone H1 kinase activity differ during the G2- to M-phase transition in mouse oocytes." Int. J. Dev. Biol., 37:595-600, 1993.			
	Kohler and Milstein, "Continuous cultures of fused cells secreting antibody of predefined specificity." <i>Nature</i> , 256:495-497, 1975.			
•	Lambert-Messerlian et al., "Human follicular fluid contains pro- and C-terminal immunoreactive alpha-inhibin precursor proteins." J. Clin. Endocrinol. Metab., 78:433-439, 1994.			
•	Lazar et al., "Transforming growth factor alpha: mutation of aspartic acid 47 and leucine 48 results in different biological activities." Mol. Cell Biol., 8:1247-1252, 1988.			
	Lee and Nathans, "Proliferin Secrete Receptors." J. Biol. Chem., 263(7):3	ed by Cultured Cells Binds to	Mannose 6-Phosphase	
	Lu et al., "Properties and regulation Aspergillus nidulans." J. Biol. Chem.	of the cell cycle-specific NIN 1., 268:8769-8776, 1993.	AA protein kinase of	
	Lu et al., "Identification of Substrate regulated NIMA Protein Kinase." J.	Lu et al., "Identification of Substrate Specificity Determinants for the Cell Cycle-regulated NIMA Protein Kinase." J. Biol. Chem., 269:6603-6607, 1994.		
	Lu et al., "Evidence for a NIMA-like 81:413-424, 1995.	e mitotic pathway in vertebra	te cells." Cell,	
	Lu et al., "Expression of the noncata in Aspergillus nidulans." EMBO J.,	lytic domain of the NIMA ki 13:2103-2113, 1994.	nase causes a G2 arrest	
V	Maher et al., "Oligonucleotide-Direct Artificial Repressors?" Antisense Re	ted DNA Triple-Helix Form	ation: An Approach to	

EXAMINER SIGNATURE:	/Lei Yao/	DATE CONSIDERED:	07/13/2006

^{*} Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.

		Attorney Docket Number	7158-71253-10	
·		Application Number	10/648,631	
INFORMA	ATION DISCLOSURE STATEMENT	Filing Date	August 25, 2003	
	BY APPLICANT	First Named Inventor	Hunter	
1		Art Unit	1642	
		Examiner Name	Lei Yao, Ph.D.	
LY	Mannino and Gould-Fogerite, "Lipo 6(7):682-690, 1988.	some Mediated Gene Transfe	er." Biotechniques,	
	Study Gene Expression." Anal. Biod	Marcus-Sekura, "Review: Techniques for Using Antisense Oligodeoxyribonucleotides to Study Gene Expression." Anal. Biochem., 172:289-295, 1988.		
	Morris <i>et al.</i> , "The genetic analysis of 10:196-201, 1989.		• •	
	O'Connell et al., "Premature chroma EMBO J., 13:4926-4937, 1994.			
	Osmani et al., "Mitotic induction and gene that encodes a potential protein	kinase." Cell, 53:237-244,	1988.	
	Kinases Is Required to Initiate Mitos	Osmani et al., "Parallel Activation of the NIMA and p34 ^{cdc2} Cell Cycle-Regulated Protein Kinases Is Required to Initiate Mitosis in A. nidulans." Cell, 67:283-291, 1991.		
•	Peattie et al., "Expression and characterization of human FKBP52, an immunophilin that associates with the 90-kDa heat shock protein and is a component of steroid receptor complexes." <i>Proc. Natl. Acad. Sci. USA</i> , 89:10974-10979, 1992.			
	Rahfeld et al., "Confirmation of the existence of a third family among peptidyl-prolyl cis/trans isomerases: Amino acid sequence and recombinant production of parvulin." FEBS Lett., 352:180-184, 1994.			
•	Rosborough et al., "Identification of FKBP-related proteins with antibodies of predetermined specificity and isolation by FK 506 affinity chromatography." Transplantation Proc., 23:2890-2893, 1991.			
	Rosenberg et al., "Vectors for selection polymerase." Gene, 56:125-135, 198		As by T7 RNA	
	Rudd et al., "A new family of peptidyl-prolyl isomerases." Trends Biochem. Sci., 20:12-14, 1995.			
	Sazer et al., "Mitochondrial growth and DNA synthesis occur in the absence of nuclear DNA replication in fission yeast." J. Cell Sci., 97:509-516, 1990.			
	Schreiber, "Chemistry and Biology of the Immunophilins and Their Immunosuppressive Ligands." Science, 251:283-287, 1991.			
	Schultz et al., "Cell Cycle-dependent Related to the NIMA Mitotic Regula 5:625-635, 1994.	tor of Aspergillus nidulans ¹ .	' Cell. Growth Differ.,	
V	Schultz et al., "Identification of 21 N of a Family Related to the Cell Cycle Growth Differ., 4:821-830, 1993.	lovel Human Protein Kinases Regulator nimA of Aspergil	s, Including 3 Members lus nidulans." Cell	

			
EXAMINER		DATE	
SIGNATURE:	/Lei Yao/	CONSIDERED:	07/13/2006
		CONSIDERED.	

^{*} Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.

		Attorney Docket Number	7158-71253-10
		Application Number	10/648,631
INFORM	IATION DISCLOSURE STATEMENT	Filing Date	August 25, 2003
	BY APPLICANT	First Named Inventor	Hunter
		Art Unit	1642
		Examiner Name	Lei Yao, Ph.D.
LY	Schweitzer et al., "NPK1, a nonesse with similarity to Aspergillus nidula	ans nimA." Mol. Gen. Genet.,	234:164-167, 1992.
	Sikorski and Hieter, "A System of S Efficient Manipulation of DNA in S 1989.		
	Sorger and Murray, "S-phase feedbare phosphorylation of p34 ^{cdc28} ." Natur	re, 355:365-368, 1992.	-
	Stueland et al., "Full Activiation of p34 ^{CDC28} Histone H1 Kinase Activity Is Unable To Promote Entry into Mitosis in checkpoint-Arrested Cells of the Yeast Saccharomyces cerevisiae." Mol. Cell. Bio., 13:3744-3755, 1993. Sudol et al., "Characterization of a novel protein-binding module – the WW domain." FEBS Lett., 369:67-71, 1995. Sudol et al., "Characterization of the Mammalian YAP (Yes-associated Protein) Gene a Its Role in Defining a Novel Protein Module, the WW Domain." J. Biol. Chem.,		
	 270(24):14733-14741, 1995. Wallace et al., "The use of synthetic oligonucleotides as hybridization probes. II. Hybridization of oligonucleotides of mixed sequence to rabbit β-globin DNA." Nucl. Acid Res., 9(4):879-894, 1981. Weintraub, "Antisense RNA and DNA." Scientific American, 262:40-46, 1990. 		
	Yocum et al., "Use of lacZ fusions to Delimit Regulatory Elements of the Inducible Divergent GAL1-GAL10 Promoter in Saccharomyces cerevisiae." Mol. Cell. Bio., 4(10):1985-1998, 1984.		
	Yoon et al., "Genetic and Biochemic Protein, Cbf2p/Ndc10p, and the CD Biol., 15:4835-4842, 1995	cal Interactions between an E C34 Ubiquitin-Conjugating E	ssential Kinetochore Enzyme." Mol. Cell.

EXAMINER /Lei Yao/ SIGNATURE:	DATE CONSIDERED:	/Lei Yao/
----------------------------------	---------------------	-----------

^{*} Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.